

www.tajpharma.com

Estramustine works by disrupting the microtubular network in cells that is essential for cell division and other normal cellular functions. The estradiol in estramustine also lowers the body's production of testosterone. Most prostate cancers need supplies of the male hormone testosterone to grow. Without testosterone, the cancer cells may either grow more slowly, or stop growing altogether. Both of these effects work to stop the growth and spread of cancer cells.

Berliz[®]-XT 
Estramustine
Phosphate Powder for Injection

**LIFE WILL WIN
AT TAJ PHARMA INDIA.**



Pronounced: ESS-truh-muss-TEEN
Classification: Antineoplastic Agent

ESTRAMUSTINE, IS A DUAL ESTROGEN AND CHEMOTHERAPY MEDICATION WHICH IS USED IN THE TREATMENT OF PROSTATE CANCER IN MEN. IT IS TAKEN MULTIPLE TIMES A DAY BY MOUTH OR BY INJECTION INTO A VEIN. EMP IS OR HAS BEEN AVAILABLE IN THE FORM OF BOTH ORAL CAPSULES (140 MG, 280 MG) AND SOLUTIONS (300 MG) FOR INTRAVENOUS INJECTION.

Berliz[®]-XT 
Estramustine
Phosphate Powder for Injection

Berliz[®] - XT ESTRAMUSTINE is a chemotherapy drug. It slows the growth of cancer cells. This medicine is used to treat prostate cancer. Estramustine is a combination of the chemotherapy nitrogen mustard and a type of estrogen called estradiol.

An Option TODAY for
TOMORROW'S
OPPORTUNITIES
When your advanced prostate cancer
is progressing, plan your next step.

DO NOT THROW AWAY ANY MEDICINES VIA
WASTEWATER OR HOUSEHOLD WASTE.
ASK YOUR PHARMACIST HOW TO THROW
AWAY MEDICINES YOU NO LONGER USE.
THESE MEASURES WILL HELP PROTECT
THE ENVIRONMENT.

Estramustine contains estramustine phosphate and is one of a group of medicines called cytotoxics; these medicines are used in the treatment of cancer.

Estramustine is used to treat cancer of the prostate gland. You should consult your doctor if you are unsure why you have been given Estramustine. You must talk to a doctor if you do not feel better or if you feel worse.

What you need to know before you take Estramustine

Do not take Estramustine if you:

- are allergic to estramustine phosphate or any of the other ingredients of this medicine (listed in section 6) or oestradiol or nitrogen mustard
- have an ulcer in the stomach or intestines
- have a serious heart disease
- have a serious liver disease
- are having problems related to blood clots
- are suffering from problems caused by fluid retention.

Estramustine is not suitable for use in children.

How to store Estramustine

Keep this medicine out of the sight and reach of children.

Do not use this medicine after the expiry date which is stated on the label and carton after EXP. The expiry date refers to the last day of that month.

Store below 25 °C.

Do not throw away any medicines via wastewater or household waste. Ask your pharmacist how to throw away medicines you no longer use. These measures will help protect the environment.

Food and Drug Administration (FDA) approved .Prescription Only (POM)

A Taj Pharma India Product

CONTACT YOUR HEALTH CARE PROVIDER IMMEDIATELY, DAY OR NIGHT,
IF YOU SHOULD EXPERIENCE ANY OF THE FOLLOWING SYMPTOMS:
FEVER OF 100.4° F (38° C), CHILLS (POSSIBLE SIGNS OF INFECTION)
URINARY RETENTION (INABILITY TO URINATE)

Berliz[®]-XT 
Estramustine
Phosphate Capsules BP 140mg

TAJ
PHARMA[®]
A TAJ Enterprise

Do not store above 25°C. Keep container in the outer carton, in order to protect from light. This medication comes as a capsule and your dose is determined based on your body size. The capsule should be swallowed whole, it should not be open, broken or chewed. It is taken in 3 or 4 doses a day on an empty stomach (1 hour before or 2 hours after a meal).