

www.tajpharma.com

Vasodote® (Mesalazine 500mg modified-release tablets) are indicated for the treatment of mild to moderate exacerbations of ulcerative colitis. For the maintenance of remission of ulcerative colitis.
* mesalamine (5-aminosalicylic acid).

Vasodote®
mesalazine 500 mg
modified-release tablets

INDICATIONS AND CLINICAL USE

Vasodote® (Mesalazine 500mg modified-release tablets) are indicated for adult patients for:

- treatment of acute ulcerative colitis
- prevention of relapse of Crohn's disease in patients following bowel resection

Vasodote®
mesalazine 500 mg
modified-release tablets

**Vasodote® (Mesalazine 500mg modified-release tablets) are used to treat Crohn's disease and ulcerative colitis (all types).
LOWER GASTROINTESTINAL TRACT ANTI-INFLAMMATORY**

Vasodote® 500mg modified-release tablets when used in Colitis (all types).

Ingredients of your medicine

Medicines contain active ingredients. They may also contain other, additional ingredients that help ensure the stability, safety and effectiveness of the medicine. They are also added to improve the medicine's taste and appearance and to make it easier to take. Some may be used to prolong the life of the medicine.

This medicine contains mesalazine.

We are unable to list all of the ingredients for your medicine here. For a full list, you should refer to the patient information leaflet that comes with this medicine. You should check that you are able to take the ingredients of your medicine, especially if you have any allergies. You should also check whether any of these ingredients are known to have side-effects.

If you are not able to take any of the ingredients in your medicine, talk to your prescriber or pharmacist to see if they can suggest an alternative medicine. If you have reacted badly to Vasodote® Mesalazine before, do not take Mesalazine. Talk to your prescriber, pharmacist or nurse as soon as possible.

Vasodote® (Mesalazine 500mg modified-release tablets) is a medicine which is used in maintaining remission from ulcerative colitis and active ulcerative colitis.

Your medicine

Vasodote® reduces inflammation in ulcerative colitis. It may be used during a flare up or after a flare up to help prevent further attacks from happening.

Other information about Mesalazine:

your prescriber will try to find the lowest dose of your medicine which can control your condition
Do not share your medicine with other people. It may not be suitable for them and may harm them.

Vasodote® 500mg modified-release tablets used in ulcerative colitis.

GENERIC AVAILABLE: Yes (TAJ PHARMA)

PREPARATIONS:

Tablets (modified-release): 500 mg .

Food and Drug Administration (FDA) approved .Prescription Only (POM)

A Taj Pharma® India Product